

## WM Wall Mount Enclosure

### Material:

- Enclosure: Sheet steel
- Door: Sheet steel, all-round foamed-in PU seal

### Surface finish:

- Enclosure and door: Dipcoat-primed, powder-coated on the outside, textured paint
- Mounting plate: Zinc-plated

### Colour:

- RAL 7035


### Supply includes:

- Enclosure with hinged door(s), of all-round solid construction
- Gland plate(s) in enclosure base (loose supply)
- Mounting plate (Assembled)

Please note the product-specific scope of supply.

### Approvals:

- IP (Declaration Of Conformity (DOC).



### Sheet steel

Width (B) mm	Packs of	200	200	300	300	380
Height (H) mm		300	300	300	400	300
Depth (T) mm		120	155	210	210	155
Mounting plate width (F) mm		162	162	254	254	334
Mounting plate height (G) mm		275	275	275	375	275
Material thickness - enclosure mm		1.25	1.25	1.38	1.38	1.38
Material thickness - door mm		1.5	1.5	1.5	1.5	1.5
Mounting plate thickness mm		2.0	2.0	2.0	2.0	2.0
Model No.	1 pc(s).	<b>9792011</b>	<b>9792025</b>	<b>9792013</b>	<b>9792014</b>	<b>9792012</b>
Weight kg		4.0	4.5	7.0	8.8	7.4
Protection category IP to IEC 60 529 (DOC)		IP 55		IP 66	IP 66	IP 66

### Product-specific scope of supply

Door(s)		1	1	1	1	1
Door hinged on the right, may be swapped to the left		-	-	■	■	■
Gland plate, size		1	1	-	-	3
Gland plates, qty.		1	1	1	1	1
Cam lock		1	1	1	1	1

### Accessories (More Accessories Available upon Request)

Rails for interior installation	4 pc(s).	-	-	2383.210	2383.210	-
Wall mounting bracket	4 pc(s).	2508.100	2508.100	2508.100	2508.100	2508.100

## WM Wall Mount Enclosure

### Sheet steel

Width (B) mm	Packs of	380	380	380	400
Height (H) mm		380	600	600	500
Depth (T) mm		210	210	350	210
Mounting plate width (F) mm		334	334	334	354
Mounting plate height (G) mm		355	570	570	475
Material thickness - enclosure mm		1.38	1.38	1.5	1.38
Material thickness - door mm		1.5	1.5	1.5	1.5
Mounting plate thickness mm		2.0	2.5	2.5	2.0
Model No.	1 pc(s).	9792018	9792019	9792034	9792015
Weight kg		9.8	15.6	19.4	13.0
Protection category IP to IEC 60 529 (DOC)		IP 66	IP 66	IP 66	IP 66
<b>Product-specific scope of supply</b>					
Door(s)		1	1	1	1
Door hinged on the right, may be swapped to the left		■	■	■	■
Gland plate, size		3	3	4	4
Gland plates, qty.		1	1	1	1
Cam lock		1	2	2	2
<b>Accessories (More Accessories Available upon Request)</b>					
Rails for interior installation	4 pc(s).	2383.210	2383.210	2383.350	2383.210
Wall mounting bracket	4 pc(s).	2508.100	2508.100	2508.100	2508.100

### Sheet steel

Width (B) mm	Packs of	500	500	500	600	600
Height (H) mm		500	500	700	380	600
Depth (T) mm		210	300	250	210	210
Mounting plate width (F) mm		449	449	449	549	549
Mounting plate height (G) mm		470	470	670	355	570
Material thickness - enclosure mm		1.38	1.5	1.5	1.38	1.38
Material thickness - door mm		1.75	1.75	2.0	1.5	1.75
Mounting plate thickness mm		2.5	2.5	2.5	2.5	2.5
Model No.	1 pc	9792016	9792025	9792021	9792020	9792017
Weight kg		16.8	19.6	31.2	15.4	22.8
Protection category IP to IEC 60 529 (DOC)		IP 66	IP 66	IP 66	IP 66	IP 66
<b>Product-specific scope of supply</b>						
Door		1	1	1	1	1
Door hinged on the right, may be swapped to the left		■	■	■	■	■
Gland plate, size		4	4	4	5	5
Gland plates, qty.		1	1	1	1	1
Cam lock		2	2	2	1	2
<b>Accessories</b>						
Rails for interior installation	4 pc(s).	2383.210	2383.300	2383.250	2383.210	2383.210
Wall mounting bracket	4 pc(s).	2508.100	2508.100	2508.100	2508.100	2508.100

## WM Wall Mount Enclosure

### Sheet steel

Width (B) mm	Packs of	600	600	600	600
Height (H) mm		600	600	800	1000
Depth (T) mm		250	350	250	250
Mounting plate width (F) mm		549	549	549	539
Mounting plate height (G) mm		570	570	770	955
Material thickness - enclosure mm		1.5	1.5	1.5	1.5
Material thickness - door mm		1.75	1.75	2.0	2.0
Mounting plate thickness mm		2.5	2.5	3.0	3.0
Model No.	1 pc	9792022	9792035	9792023	9792024
Weight kg		24.8	28.4	33.6	50.5
Protection category IP to IEC 60 529 (DOC)		IP 66	IP 66	IP 66	IP 66
<b>Product-specific scope of supply</b>					
Door(s)		1	1	1	1
Door hinged on the right, may be swapped to the left		■	■	■	■
Gland plate, size		5	5	5	5
Gland plates, qty.		1	1	1	1
Cam lock		2	2	2	2
<b>Accessories (More Accessories Available upon Request)</b>					
Rails for interior installation	4 pc(s).	2383.250	2383.350	2383.250	2383.250
Wall mounting bracket	4 pc(s).	2508.100	2508.100	2508.100	2508.100



### Sheet steel

Width (B) mm	Packs of	600	760	800	800	800
Height (H) mm		1200	760	600	1000	1200
Depth (T) mm		300	300	300	300	300
Mounting plate width (F) mm		540	704	749	739	740
Mounting plate height (G) mm		1155	730	570	955	1155
Material thickness - enclosure mm		1.5	1.5	1.5	1.5	1.5
Material thickness - door mm		2.0	2.0	2.0	2.0	2.0
Mounting plate thickness mm		3.0	3.0	2.5	3.0	3.0
Model No.	1 pc	9792026	9792027	9792028	9792029	9792030
Weight kg		55.0	44.5	33.9	57.0	70.0
Protection category IP to IEC 60 529 (DOC)		IP 66	IP 66	IP 66	IP 66	IP 66
<b>Product-specific scope of supply</b>						
Door(s)		1	1	1	1	1
Door hinged on the right, may be swapped to the left		■	■	■	■	■
Gland plate, size		5	5	5	5	5
Gland plates, qty.		1	1	1	1	1
Cam lock		3	2	2	2	3
<b>Accessories (More Accessories Available upon Request)</b>						
Rails for interior installation	4 pc(s).	2383.300	2383.300	2383.300	2383.300	2383.300
Wall mounting bracket	4 pc(s).	2508.100	2508.100	2508.100	2508.100	2508.100



## WM Wall Mount Enclosure

### Sheet steel

<b>Width (B) mm</b>	Packs of	1000
<b>Height (H) mm</b>		1000
<b>Depth (T) mm</b>		300
Mounting plate width (F) mm		939
Mounting plate height (G) mm		955
Material thickness - enclosure mm		1.5
Material thickness - door mm		2.0
Mounting plate thickness mm		3.0
<b>Model No.</b>	1pc	9792031
Weight kg		71.0
Protection category IP to IEC 60 529 (DOC)		IP 55
<b>Product-specific scope of supply</b>		
Door(s)		2
Door hinged on the right, may be swapped to the left		-
Gland plate, size		4
Gland plate, qty.		2
Cam lock		2
3-point lock system		-
<b>Accessories (More Accessories Available upon Request)</b>		
Rails for interior installation	4 pc(s).	2383.300
Wall mounting bracket	4 pc(s).	2508.100
Eyebolts	4 pc(s).	-



### Rittal Pte Ltd

Address: 7 Loyang St, Singapore 508842

Email: sales@rittal.com.sg

Mobile: +65 9889 3155

Scan here for more enclosures

