



AvatarOn C

Catalog 2021



se.com/sg

Life Is On

Schneider
Electric

A style unto itself – AvatarOn C



Content

Introduction

AvatarOn C presentation	4
-------------------------	---

Functions

Controls	11
Sockets and USB chargers	15
Hotels	17
Communication outlets	19
Cover frames and Accessories	23


Technical information

Wiring diagram	25
Dimensions	28

Reference numbers	34
-------------------	----

The **AvatarOn C range** of switches and sockets delivers the latest in design trends. Created by the award-winning designers at Schneider Electric, it exquisitely complements any interior while bringing enhanced functionality.

- **Comes in many variants**, from single units to five-module frames for more complex uses, and in three different colors to match your interiors.
- **Enhanced functionalities** with USB, TV, and other ports available for even the most discerning homeowner and a soft-clicking sound to avoid disturbing light sleepers.
- **Easy-to-install**, compact modules that fit standard wall boxes, and are designed to meet global as well as local safety and environmental criteria.



A trendy look with timeless features


Interested in the latest design trends for your home? Look no further.

AvatarOn C switches and sockets have a clean, frameless design which gives them a light, floating feel. The cover plate offers a tactile experience that's soft and slender atop a base that's strong and robust.

All devices are available in three stylish colors and with matte finishes, adding a modern touch to your home's walls.

Designed with care

There are times when even the slightest sound can cause unwanted disturbances. That's why AvatarOn C switches are designed with a soft-click action so as not to disturb even the lightest sleeper.



Advanced functionality for everyday convenience

The AvatarOn C range offers a wide variety of functions for your home, with everything from single switches and sockets to multi-module frames. The range also includes outputs which allow you to connect your TV antennas and Ethernet cables, or control fans and dim lights for extra convenience.

The USB ports are compatible with types A and C inputs and are fully compliant with the latest quick charging standards and protocols. This way you can power up your phone or other devices in no time.



Mix and match

Tired of using messy extension cords? Frustrated by the jungle of cables behind your home entertainment center? AvatarOn C lets you combine up to five wiring devices in a single outlet. Mix power outlets with Ethernet ports and cable TV signal inputs into single installation to match the look and feel of your other AvatarOn C wiring devices.

A certified solution with hassle-free installation

AvatarOn C's ingenious design and compact size make it relatively easy to install in a variety of wall boxes, while the large terminal ports in the back make wiring hassle-free. The upshot? A simpler, faster installation for your electrician.

AvatarOn C products also carry the Green Premium™ ecolabel. Green Premium stands for Schneider Electric's commitment to providing innovative products, solutions, and services that help our customers balance their carbon footprint.




All electrical products are required to comply with International Electrotechnical Commission (IEC) standards, but AvatarOn C goes beyond that. The range is designed and tested to exceed IEC ratings to help make your home future-ready, with enhanced electrical safety.

Market	Malaysia	Singapore
Safety standard	MS	SS
Performance and EMC	MS	SS
RoHS	✓	✓
Green Premium product	✓	✓
Wiring regulation	IEC 60364	CP 5 (adopted from BS7671)
Local certification	SIRIM	CoC

Product Selector

Switch module



1 Gang Switch with fluorescent locator




2 Gang Switch with fluorescent locator




3 Gang Switch with fluorescent locator




4 Gang Switch with fluorescent locator



1 Gang Double Pole Switch with LED – 20 A




1 Gang Double Pole Switch with LED – 32 A




2 Gang Switch with "Do Not Disturb", "Please Clean Up"

Socket module




1 Gang Socket




Twin Gang Socket




Twin Gang switched Socket with LED



1 Gang Switched Socket with LED




1 Gang 3 Round Pin Switched Socket with LED



1 Gang Switched Socket with 2 USB ports and LED

VDI module



1 Gang Connection
Unit – 25 A




1 Gang connection
Unit – 45 A




1 Gang Fused
Connection Unit




1 Gang Data socket



3 Gang SMATV



1 Gang TV Socket



1 Gang TV F Socket

Multi surround plate




Multi Gang Surround

Panic button



Color



White



Dark gray



Wine gold

AvatarOn C Controls

AvatarOn C Controls

Switches with fluorescent locator – 16 A – 250 V AC



	1G	2G	3G	4G	Intermediate
1-way					
□ White	E8731L1F_WE_G11	E8732L1F_WE_G11	E8733L1F_WE_G11	E8734L1F_WE_G11	E8731MF_WE_G11
■ Dark gray	E8731L1F_DG_G11	E8732L1F_DG_G11	E8733L1F_DG_G11	E8734L1F_DG_G11	E8731MF_DG_G11
■ Wine gold	E8731L1F_WG_G11	E8732L1F_WG_G11	E8733L1F_WG_G11	E8734L1F_WG_G11	E8731MF_WG_G11
	1G	2G	3G	4G	
2-way					
□ White	E8731L2F_WE_G11	E8732L2F_WE_G11	E8733L2F_WE_G11	E8734L2F_WE_G11	
■ Dark gray	E8731L2F_DG_G11	E8732L2F_DG_G11	E8733L2F_DG_G11	E8734L2F_DG_G11	
■ Wine gold	E8731L2F_WG_G11	E8732L2F_WG_G11	E8733L2F_WG_G11	E8734L2F_WG_G11	

Double pole switch with LED indicator – 20 A – 250 V AC



	1G	2G	1G
1-way		2-way	
□ White	E8731D20N_WE_G11	E8732D20N_WE_G11	E8731D20N_2_WE_G11
■ Dark gray	E8731D20N_DG_G11	E8732D20N_DG_G11	E8731D20N_2_DG_G11
■ Wine gold	E8731D20N_WG_G11	E8732D20N_WG_G11	E8731D20N_2_WG_G11

AvatarOn C Controls


Double pole switch with LED indicator 32 A – 250 V AC

	1G
	
	
1-way	
☐ White	E8731D32N_WE_G11
☒ Dark gray	E8731D32N_DG_G11
☐ Wine gold	E8731D32N_WG_G11



Bell press switch with fluorescent locator 10 A – 250 V AC

	1G
	
	
☐ White	E8731BP_WE_G11
☒ Dark gray	E8731BP_DG_G11
☐ Wine gold	E8731BP_WG_G11

Panic button with key reset

	
☐ White	E8731KPB_WE
☒ Dark gray	E8731KPB_DG
☐ Wine gold	E8731KPB_WG

Double pole switch with LED indicator 45 A – 250 V AC

	1G
	
	
1-way	
☐ White	E8731D45N_WE_G11
☒ Dark gray	E8731D45N_DG_G11
☐ Wine gold	E8731D45N_WG_G11

Universal dimmer with switch 240 V AC, 250 W

	
☐ White	E8732RD250U_WE_G11
☒ Dark gray	E8732RD250U_DG_G11
☐ Wine gold	E8732RD250U_WG_G11

Fan controller with switch 240 V AC, 250 W



	
☐ White	E8732V400F_WE_G11
☒ Dark gray	E8732V400F_DG_G11
☐ Wine gold	E8732V400F_WG_G11

AvatarOn C



AvatarOn C Sockets and USB chargers

Sockets and USB chargers



Socket – 13 A – 250 V AC

	1G	2G
		
☐ White	E87426_WE_G11	E87T426_WE_G11

Switched socket – 13 A – 250 V AC

	1G	2G
		
☐ White	E8715_WE_G11	E87T25_WE_G11
☒ Dark gray	E8715_DG_G11	E87T25_DG_G11
☒ Wine gold	E8715_WG_G11	E87T25_WG_G11


Switched socket with – 13 A – 250 V AC LED

	1G	2G
		
☐ White	E8715N_WE_G11	E87T25N_WE_G11
☒ Dark gray	E8715N_DG_G11	E87T25N_DG_G11
☒ Wine gold	E8715N_WG_G11	E87T25N_WG_G11


USB charger – 21 W

	Type A+C
	
☐ White	E8732ACQUSB_WE_G11
☒ Dark gray	E8732ACQUSB_DG_G11
☒ Wine gold	E8732ACQUSB_WG_G11

Socket – 15 A – 250 V AC

	1G
	
☐ White	E87426_15_WE_G11

Switched socket with LED
15 A – 250 V AC

	1G
	
☐ White	E8715_15_WE_G11
☒ Dark gray	E8715_15_DG_G11
☒ Wine gold	E8715_15_WG_G11

Switched socket with LED
13 A + USB charger 2.1 A, 2 port

	1G
	
☐ White	E8715USB_WE_G11
☒ Dark gray	E8715USB_DG_G11
☒ Wine gold	E8715USB_WG_G11

AvatarOn C Hotels

Universal shaver – 115/240 V AC





☐ White

E87T727H_WE_G11

Bell switch with PCU, DND and Sym
10 A – 250 V AC

1G






☐ White

E8731BPDM_WE_G11


HDMI + USB socket



☐ White

E8732HUSB_WE

Speaker connection




☐ White

E8731SC_WE

Momentary switch with fluorescent locator – 10 A – 250 V AC

1G2G3G









1-way

☐ White

E8731PRF_WE_G11E8732PRF_WE_G11E8733PRF_WE_G11

Electronic key card switch
16 A – 250 V AC




☐ White

E8731EKTID_WE

Switch with C and P SYM – 16 A

1G






☐ White

E8732DMS_WE_G11

Volume control – 5 W, 80 ohm



☐ White



E8731VC_WE

AvatarOn C

Communication outlets

Communication outlets


RJ 45 shuttered data outlets

	Single RJ45 Cat.5e	Double RJ45 Cat.5e	Single RJ45 Cat. 6e	Double RJ45 Cat. 6e
				
White	E8731RJS5_WE	E8732RJS5_WE	E8731RJS6_WE	E8732RJS6_WE
Dark gray	E8731RJS5_DG	E8732RJS5_DG	E8731RJS6_DG	E8732RJS6_DG
Wine gold	E8731RJS5_WG	E8732RJS5_WG	E8731RJS6_WG	E8732RJS6_WG


Telephone socket

	1G	2G
		
White	E8731RJS4_WE	E8732RJS4_WE
Dark gray	E8731RJS4_DG	E8732RJS4_DG
Wine gold	E8731RJS4_WG	E8732RJS4_WG


TV outlets + RJ 45 shuttered data

	TV + RJ45 Cat. 5e
	
White	E8732TDRJS5_WE
Dark gray	E8732TDRJS5_DG
Wine gold	E8732TDRJS5_WG


CATV socket, 45°, F CNN

	1G
	
White	E8731TVF_WE
Dark gray	E8731TVF_DG
Wine gold	E8731TVF_WG


TV socket, F CNN

	2G
	
White	E8732TVF_WE
Dark gray	E8732TVF_DG
Wine gold	E8732TVF_WG

Television / FM data socket

	2G
	
White	E8732TVFMM_WE
Dark gray	E8732TVFMM_DG
Wine gold	E8732TVFMM_WG

Television socket, 750 Ohm


	1G
	
White	E8731TV_WE
Dark gray	E8731TV_DG
Wine gold	E8731TV_WG

Communication outlets

Connection unit – 45 A – 250 V AC

1G	
	
☐ White	E87554_WE_G11
☒ Dark gray	E87554_DG_G11
☐ Wine gold	E87554_WG_G11


Connection unit – 25 A – 250 V AC

1G	
	
☐ White	E8731TB_WE_G11
☒ Dark gray	E8731TB_DG_G11
☐ Wine gold	E8731TB_WG_G11

Fused connection unit – 13 A – 250 V AC

1G	
	
☐ White	E8730FSG_WE_G11
☒ Dark gray	E8730FSG_DG_G11
☐ Wine gold	E8730FSG_WG_G11

SMAT TV, FM, F sockets

	
☐ White	E8733SMATV_WE
☒ Dark gray	E8733SMATV_DG
☐ Wine gold	E8733SMATV_WG

AvatarOn C



AvatarOn C

Cover frames and Plates


AvatarOn C

Cover frames and Plates

Multi surround plate

	2G	3G	4G	5G
				
☐ White	E8731_26_WE	E8731_36_WE	E8731_46_WE	E8731_56_WE
☒ Dark gray	E8731_26_DG	E8731_36_DG	E8731_46_DG	E8731_56_DG
☐ Wine gold	E8731_26_WG	E8731_36_WG	E8731_46_WG	E8731_56_WG

Blank plate

	1G	2G
		
☐ White	E8730X_WE	E8730TX_WE
☒ Dark gray	E8730X_DG	E8730TX_DG
☐ Wine gold	E8730X_WG	E8730TX_WG

AvatarOn C


Technical Information

Technical information


Wiring diagram

Switches


1-way switch




2-way switch




1G 20 A / 32 A / 45 A 1-way switch with LED




2G 20 A 1-way switch with LED




1G 20 A 2-way switch with LED




Intermediate switch




Momentary switch



Bell switch




Fan switch




Technical information

Wiring diagram


Volume control




Speaker control



Panic button




USB socket




Sockets

3-pin socket




Dimmer

1 way operation



2 way operation




AvatarOn C


Technical information

Wiring diagram


Connection unit



Hotel accessories




HDMI/USB/Data socket

HDMI	MODULAR WIRING CONFIGURATION		
	COLOR CODE	T568B	T568A
	White-Blue	5	5
	Blue	4	4
	White-Orange	1	3
	Orange	2	6
	White-Green	3	1
	Green	6	2
	White-brown	7	7
	Brown	8	8

Technical information

Dimension diagram


Product Dimensions (mm)




A: Embedding depth
B: Depth

Ref.	A (mm)	B (mm)	Ref.	A (mm)	B (mm)	Ref.	A (mm)	B (mm)
E8731Lxx_xx_xx	23.5	36.8	E87554_xx_xx	16.1	43.9	E8732HUSB_WE	29.2	38
E8732Lxx_xx_xx	23.5	36.8	E8730FSG_xx	17.3	27.4	E8731TB_xx_xx	30	40.7
E8733Lxx_xx_xx	23.5	36.8	E8715_xx_xx	18.2	30	E8715USB_xx_xx	30.5	42
E8734Lxx_xx_xx	23.5	36.8	E8715N_xx_xx	18.2	30	E8715USBR_xx_xx	30.5	42
E8731BP_xx_xx	23.5	36.8	E87426_WE_G11	18.2	27.1	E87T272V_xx_xx	42.2	50.2
E8715_15_xx_xx	23.5	36.8	E87T25_xx_xx	19.2	30.8	E8731RJS4_xx	31.5	40.6
E8731PRF_xx_xx	23.5	36.8	E87T25N_xx_xx	19.2	30.8	E8732RJS4_xx	31.5	40.6
E8732PRF_xx_xx	23.5	36.8	E87T426_WE_G11	19.2	28.1	E8731RJS5_xx	31.5	40.6
E8733PRF_xx_xx	23.5	36.8	E8731D32N_xx_xx	21.2	35	E8732RJS5_xx	31.5	40.6
E8731BPDM_WE_G11	23.5	36.8	E8731D45N_xx_xx	21.2	35	E8731RJS6_xx	31.5	40.6
E8732DMS_WE_G11	23.5	36.8	E8733SMATV_xx	22.2	36.2	E8732RJS6_xx	31.5	40.6
E8730X_xx	0	8.9	E8731D20N_xx_xx	23.4	36.7	E8732TDRJS5_xx	31.5	40.6
E8730TX_xx	0	8.9	E8732D20N_xx_xx	23.4	36.7	E8732ACQUSB_xx_xx	31.6	40.3
E8731_xx_xx	0	10.2	E8731D20N_2_xx_xx	23.4	36.5	E87426_15_WE_G11	31.9	23
E8731TVF_xx	2.7	20.3	E8731MF_xx_xx	23.4	36.5	E8732V400F_xx_xx	33.7	42.6
E8732TVF_xx	4	21	E8732CF_WE_G11	23.8	35.9	E87T727V_WE_G11	42.2	50.2
E8731SC_WE	6.3	31	E8732RD250U_xx_xx	25.5	46.4	E8731SC	6.3	31
E8731VC_WE	12	33	E8731KPB_xx	25.7	34.6	E8732RD250U	25.5	46.4
E8731TV_xx	12.5	21.4	E8731EKTID_WE_G11	28	47.7	E8732V400F	33.7	42.6
E8732TVFMM_xx	14.4	23.3						


Switches




1G,2G,3G,4G switch



Bell switch with indicator



32/45 A Double pole switch




20 A Double pole switch

AvatarOn C


Technical information

Dimension diagram


Switched-sockets



Sockets




Telephone and television outlets



Technical information

Dimension diagram

Telephone and television outlets



USB




AvatarOn C


Technical information

Dimension diagram


Dimmer



Fan controller



Connection unit




AvatarOn C



Technical information

Dimension diagram

Connection unit




Blank plates



Technical information

Dimension diagram

Multi gang plate



Reference numbers

Overview

Ref	Pages
E	
E87T25_DG_G11	15
E87T25N_DG_G11	15
E87T25N_WE_G11	15
E87T25N_WG_G11	15
E87T25_WE_G11	15
E87T25_WG_G11	15
E87T426_WE_G11	15
E87T727H_WE_G11	17
E8715_15_DG_G11	15
E8715_15_WE_G11	15
E8715_15_WG_G11	15
E8715_DG_G11	15
E8715N_DG_G11	15
E8715N_WE_G11	15
E8715N_WG_G11	15
E8715USB_DG_G11	15
E8715USB_WE_G11	15
E8715USB_WG_G11	15
E8715_WE_G11	15
E8715_WG_G11	15
E8730FSG_DG_G11	20
E8730FSG_WE_G11	20
E8730FSG_WG_G11	20
E8730TX_DG	23
E8730TX_WE	23
E8730TX_WG	23
E8730X_DG	23
E8730X_WE	23
E8730X_WG	23
E8731_26_DG	23
E8731_26_WE	23
E8731_26_WG	23
E8731_36_DG	23
E8731_36_WE	23
E8731_36_WG	23
E8731_46_DG	23
E8731_46_WE	23
E8731_46_WG	23
E8731_56_DG	23
E8731_56_WE	23
E8731_56_WG	23
E8731BP_DG_G11	12
E8731BPDM_WE_G11	17
E8731BP_WE_G11	12
E8731BP_WG_G11	12
E8731D20N_2_DG_G11	11
E8731D20N_2_WE_G11	11
E8731D20N_2_WG_G11	11
E8731D20N_DG_G11	11
E8731D20N_WE_G11	11
E8731D20N_WG_G11	11

Ref	Pages
E8731D32N_DG_G11	12
E8731D32N_WE_G11	12
E8731D32N_WG_G11	12
E8731D45N_DG_G11	12
E8731D45N_WE_G11	12
E8731D45N_WG_G11	12
E8731EKTID_WE	17
E8731KPB_DG	12
E8731KPB_WE	12
E8731KPB_WG	12
E8731L1F_DG_G11	11
E8731L1F_WE_G11	11
E8731L1F_WG_G11	11
E8731L2F_DG_G11	11
E8731L2F_WE_G11	11
E8731L2F_WG_G11	11
E8731MF_DG_G11	11
E8731MF_WE_G11	11
E8731MF_WG_G11	11
E8731PRF_WE_G11	17
E8731RJS4_DG	19
E8731RJS4_WE	19
E8731RJS4_WG	19
E8731RJS5_DG	19
E8731RJS5_WE	19
E8731RJS5_WG	19
E8731RJS6_DG	19
E8731RJS6_WE	19
E8731RJS6_WG	19
E8731SC_WE	17
E8731TB_DG_G11	20
E8731TB_WE_G11	20
E8731TB_WG_G11	20
E8731TV_DG	19
E8731TVF_DG	19
E8731TVF_WE	19
E8731TVF_WG	19
E8731TV_WE	19
E8731TV_WG	19
E8731VC_WE	17
E8732ACQUSB_DG_G11	15
E8732ACQUSB_WE_G11	15
E8732ACQUSB_WG_G11	15
E8732D20N_DG_G11	11
E8732D20N_WE_G11	11
E8732D20N_WG_G11	11
E8732DMS_WE_G11	17
E8732HDUSB_WE	17
E8732L1F_DG_G11	11
E8732L1F_WE_G11	11
E8732L1F_WG_G11	11
E8732L2F_DG_G11	11

Ref	Pages
E8732L2F_WE_G11	11
E8732L2F_WG_G11	11
E8732PRF_WE_G11	17
E8732RD250U_DG_G11	12
E8732RD250U_WE_G11	12
E8732RD250U_WG_G11	12
E8732RJS4_DG	19
E8732RJS4_WE	19
E8732RJS4_WG	19
E8732RJS5_DG	19
E8732RJS5_WE	19
E8732RJS5_WG	19
E8732RJS6_DG	19
E8732RJS6_WE	19
E8732RJS6_WG	19
E8732TDRJS5_DG	19
E8732TDRJS5_WE	19
E8732TDRJS5_WG	19
E8732TVF_DG	19
E8732TVFMM_DG	19
E8732TVFMM_WE	19
E8732TVFMM_WG	19
E8732TVF_WE	19
E8732TVF_WG	19
E8732V400F_DG_G11	12
E8732V400F_WE_G11	12
E8732V400F_WG_G11	12
E8733L1F_DG_G11	11
E8733L1F_WE_G11	11
E8733L1F_WG_G11	11
E8733L2F_DG_G11	11
E8733L2F_WE_G11	11
E8733L2F_WG_G11	11
E8733PRF_WE_G11	17
E8733SMATV_DG	20
E8733SMATV_WE	20
E8733SMATV_WG	20
E8734L1F_DG_G11	11
E8734L1F_WE_G11	11
E8734L1F_WG_G11	11
E8734L2F_DG_G11	11
E8734L2F_WE_G11	11
E8734L2F_WG_G11	11
E87426_15_WE_G11	15
E87426_WE_G11	15
E87554_DG_G11	20
E87554_WE_G11	20
E87554_WG_G11	20

AvatarOn C

Notes

AvatarOn C

Notes

AvatarOn C

Notes



Green Premium™

An industry leading portfolio of offers delivering sustainable value



More than 75% of our product sales offer superior transparency on the material content, regulatory information and environmental impact of our products:

- RoHS compliance
- REACH substance information
- Industry leading # of PEP's*
- Circularity instructions



Discover what we mean by green

[Check your products!](#)

The Green Premium program stands for our commitment to deliver customer valued sustainable performance. It has been upgraded with recognized environmental claims and extended to cover all offers including Products, Services and Solutions.

CO₂ and P&L impact through... Resource Performance

Green Premium brings improved resource efficiency throughout an asset's lifecycle. This includes efficient use of energy and natural resources, along with the minimization of CO₂ emissions.

Cost of ownership optimization through... Circular Performance

We're helping our customers optimize the total cost of ownership of their assets. To do this, we provide IoT-enabled solutions, as well as upgrade, repair, retrofit, and remanufacture services.

Peace of mind through... Well-being Performance

Green Premium products are RoHS and REACH compliant. We're going beyond regulatory compliance with step-by-step substitution of certain materials and substances from our products.

Improved sales through... Differentiation

Green Premium delivers strong value propositions through third-party labels and services. By collaborating with third-party organizations we can support our customers in meeting their sustainability goals such as green building certifications.

*PEP: Product Environmental Profile (i.e. Environmental Product Declaration)

Life Is On



For more information on AvatarOn C visit
se.com/sg

Schneider Electric

50 Kallang Avenue

Singapore 339505

Tel: (+65) 6464 7887

Home and Distribution Email: enquiries.home-distribution@se.com

Customer Care Email: customercare.sg@se.com

© 2021 Schneider Electric. All Rights Reserved. Life Is On | Schneider Electric is the trademark and the property of Schneider Electric SE, its subsidiaries and affiliated companies.

998-21215724